

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	82	response with indicat\$4 with location with resource	US-PGPUB; USPAT	OR	ON	2006/02/06 05:55
L2	11111063	"3" and @ad<"20010207"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 05:56
L3	28	1 and @ad<"20010207"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 05:57
L4	20335	"709".clas.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 05:57
L5	11	3 and 4	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 05:57
L6	4159	709/226,218,229,228.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L7	4159	L6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L8	59	request with compar\$ with "service provider"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L9	59	L8	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L10	18	709/226,218,229,228.ccls. and (transmit\$ with telephone with broadcast\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L11	10	L10	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L12	25	(consumer adj broadcast\$) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42

L13	23	L12	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L14	7587	709/217,218,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L15	3995	L14 and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L16	514	(match\$ or best) with request same broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L17	9	L16 and L15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L18	8	L17	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L19	21	(consumer with broadcast\$ with request) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
L20	15	L19	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
S1	95	broadcast\$ with request with compar\$	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 05:55
S2	24	"1".ab.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/26 14:02
S3	16	"1".ab. and @ad<"20010207"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 05:56

S4	83	(broadcast\$ with request with compar\$) and @ad<"20010207"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/26 14:14
S5	3	broadcast\$ with request with compar\$ with (provider or SP)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/27 09:40
S6	3076	709/226,218,229,228.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 06:42
S7	39	request with compar\$ with "service provider"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 09:50
S8	112	request with compar\$ with ("service provider" or ISP)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 09:50
S9	35	(request with compar\$ with ("service provider" or ISP)) and @ad<"20010207"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 09:51
S10	42	(request with compar\$ with ("service provider" or ISP)) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:56
S11	3	"6404875".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:14
S12	0	"6404875".pn. and broadcast\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:32
S13	0	LAN and WAN and broadcast\$ and multicast and unicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:33
S14	555	LAN and WAN and broadcast\$ and multicast and unicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:44

S15	555	LAN and WAN and broadcast\$ and multicast and unicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:34
S16	28	709/226,218,229,228.ccls. and (LAN and WAN and broadcast\$ and multicast and unicast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:42
S17	2	(709/226,218,229,228.ccls. and (LAN and WAN and broadcast\$ and multicast and unicast)) and AIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:42
S18	81	LAN and WAN and broadcast\$ and AIN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:45
S19	4	709/226,218,229,228.ccls. and ((LAN and WAN and broadcast\$ and AIN) and @ad<"20010207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:45
S20	57	(LAN and WAN and broadcast\$ and AIN) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:06
S21	2	"6181935".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 10:59
S22	0	"6181935".pn. and multicast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:04
S23	87987	consumer adj broadcast\$ with service provider	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:05
S24	0	consumer adj broadcast\$ with "service provider"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:05

S25	0	consumer adj broadcast\$ with SP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:05
S26	0	consumer adj broadcast\$ with ISP	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:05
S27	50	consumer adj broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:07
S28	25	(consumer adj broadcast\$) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:08
S29	46	consumer with broadcast\$ with request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:08
S30	18	(consumer with broadcast\$ with request) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:12
S31	1897	transmit\$ with telephone with broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:14
S32	6	709/226,218,229,228.ccls. and (transmit\$ with telephone with broadcast\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:22
S33	2	front?end adj agent	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:56
S34	1243	broadcast\$ adj request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:56

S35	741	(broadcast\$ adj request) and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:57
S36	187	((broadcast\$ adj request) and @ad<"20010207") and "709"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:58
S37	24	(((broadcast\$ adj request) and @ad<"20010207") and "709"/\$.ccls.) and multicast and LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:58
S38	18	(((broadcast\$ adj request) and @ad<"20010207") and "709"/\$.ccls.) and multicast and LAN and WAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 11:58
S39	36	(((broadcast\$ adj request) and @ad<"20010207") and "709"/\$.ccls.) and multicast	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:05
S41	0	"6542942".pn. and LAN	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/28 12:05
S42	3	"6404875".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:38
S43	1	"6404875".pn. and computer	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:41
S44	0	"6404875".pn. and java	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/29 09:41
S45	3539	709/217,218,219.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:39
S46	6043	709/217,218,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:39

S47	3598	S46 and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:44
S48	33	criteria with compar\$ with broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:43
S49	1	S47 and S48	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:41
S50	55	attribute with compar\$ with broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:45
S51	0	S50 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:43
S52	0	attribute with matchr\$ with broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:44
S53	53	attribute with match\$ with broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:44
S54	3598	S47 and @ad<"20010207"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:44
S55	0	S53 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:44
S56	99	attribute with match\$ same broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:45

S57	0	S56 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:45
S58	104	attribute with compar\$ same broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:45
S59	2	S58 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:47
S60	1540	(compar\$ or match\$ or selected) with request same broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:53
S61	24	S60 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:53
S62	413	(match\$ or best) with request same broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 09:53
S63	8	S62 and S47	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:05
S64	2	"6693896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:59
S65	1	S64 and request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:10
S66	1	S64 and broadcast\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:21

S67	2	S64 and resource	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:26
S68	1	S64 and (bidirectional or directional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:29
S69	0	S64 and (unidirectional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:29
S70	0	S64 and (one adj directional)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:29
S71	0	S64 and (unicast)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:40
S72	0	S64 and java	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:40
S73	2	"6693896".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:59
S74	0	S73 and program with code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:59
S75	1	S73 and program	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 10:59
S76	2	"6542942".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/14 11:11

S77	2	"6141325".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:10
S78	1	S77 and Java with code with interfac\$6	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:13
S79	80	response with code with java	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:13
S80	65	S79 and @ad<"20010207"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/01 15:13